

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030191544".pn.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/07 11:09
L2	2	"20030186670"	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/07 11:09
L3	1	"3,851,742".pn.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/07 11:10
L4	1	"5,678,030".pn.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/07 11:10
L5	1	"20010018872"	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/07 11:10
S1	1	"10553299"	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 16:04
S2	59	drive near3 device preset\$4 with angular with position	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 16:54
S3	7291	drive near3 device angular with position	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 18:02
S4	8	drive near3 device (set \$4 and preset\$4 and determin\$4) with angular with position	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 18:02
S5	1593	drive near3 device (set \$4 or preset\$4 or determin\$4) with angular with position	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 18:03

S6	52	drive near3 device (set \$4 or preset\$4 or determin\$4) with angular with position "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/23 18:03
S7	1	"11436847"	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/24 14:27
S8	236	drive near3 (device or motor) (set\$4 or preset \$4 or determin\$4) with angular with position "101".clas.	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/24 14:36
S9	1392	drive near3 device (set \$4 or preset\$4 or determin\$4) with angular with position (display or output\$4 or read\$4 or show\$4) with position\$4	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 12:46
S10	1106	drive near3 device (set \$4 or preset\$4 or determin\$4) with angular with position (display or output\$4 or read\$4 or show\$4) with position\$4 motor	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 14:30
S11	1515	(angular with (position or displacement)) drive near3 device (output or pulse or display or show) with (displacement or position or location) with (drive or motor)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 14:44
S12	440	(preset\$4 or set\$4 or determin\$4) with (angular with (position or displacement)) drive near3 device (output or pulse or display or show) with (displacement or position or location) with (drive or motor)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 14:45

S13	25	(preset\$4 or set\$4 or determin\$4) with (angular with (position or displacement)) drive near3 device (output or pulse or display or show) with (displacement or position or location) with (drive or motor) print\$4 near3 (press or unit)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 15:32
S14	646	drive near3 device (set \$4 or preset\$4 or determin\$4) with angular with position (display or output\$4 or read\$4 or show\$4) with position\$4 motor circuit	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/25 16:01
S15	629	parametr\$4 with (circuit or signal or pulse) (comput\$4 or calcul\$4) with unit	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:30
S16	1	pulse near3 train circuit virtual near3 leading near3 axle drive near3 (unit or device)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:39
S18	1	circuit virtual near3 leading near3 axle drive near3 (unit or device)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:39
S19	24628	circuit drive near3 (unit or device) (signal or pulse or output) near3 (convert\$4 or parameter\$4)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:40
S20	1696	circuit drive near3 (unit or device) (signal or pulse or output) near3 (convert\$4 or parameter\$4) near3 (number or frequency)	US-PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:44

S21	166	circuit drive near3 (unit or device) (signal or pulse or output) near3 (convert\$4 or parameter\$4) near3 (number or frequency) pulse near3 train	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/06/30 14:45
S22	0	parameteriz\$4 near3 signal with adjust\$4 near3 parameter	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 14:05
S23	0	parameteriz\$4 near3 signal with adjust\$4 near3 parameter with circuit	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 14:05
S24	2	"20030191544"	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 14:12
S25	64	fold\$4 near3 unit with drive near3 control\$4	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 14:25
S26	2	correlat\$4 near3 pulse near3 train with output near3 signal drive near3 (device or unit or control)	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 15:13
S27	20	comput\$4 near3 unit with parameter\$4 with (circuit or signal or pulse) with (detach\$4 or separat\$4 or separab\$4)	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/03 15:18
S28	3	(independent or separate or detach\$4 or distinct\$4) near3 comput\$4 near3 unit with parameter\$4 with (circuit or signal or pulse)	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 17:43
S29	1	emulator\$4 near3 circuit same drive near3 device	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 18:24
S30	9	emulator\$4 near3 circuit with parameter \$4 with (signal or pulse or output)	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 18:25

S31	1	"5678030".pn.	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 18:26
S32	1	"5678030".pn. emulat \$4 near3 circuit	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 18:26
S33	35	circuit with (adjust\$4 or adapt or chang\$4) with parameter\$4 with shape with (output or signal or pulse)	US- PGPUB; USPAT; EPO; JPO	AND	OFF	2008/07/06 20:27

7/ 7/ 2008 11:20:20 AM

C:\ Documents and Settings\ dbanh2\ My Documents\ EAST\ Workspaces\ 10553299.wsp